
Health Access Connect

1. We must improve access to healthcare in remote areas.

2. Health Access Connect is totally unnecessary.

Distance is bad for your health.



What prevented you from going to the health facility?

74% of respondents listed the cost of transportation as the largest barrier.

Why does this matter?

To fight HIV, patients must stay on ART.

To improve infant and maternal mortality, mothers and babies must visit health workers.



Distance is bad for your health.



Health Access Connect

Link Ugandans living in remote areas with healthcare resources





Monthly or bimonthly one-day integrated care outreach clinics in remote areas

Necessary Elements of an Outreach Clinic

2-4 health workers
 Medicine & supplies
 Means of transportation
 Someone to mobilize patients
 Money to cover these costs

2-4 Health Workers

- HIV testing and antiretroviral treatment (ART)
- 2. Family planning and maternal & child health
- 3. General treatment

Medicine & Supplies

Ciplo

Available at health facilities

Means of Transportation

Boda boda, health facility vehicle, and/or boat

Someone to mobilize patients

VHT and/or local leader

Money to cover the costs

17,000/= for each musawo 20,000 – 30,000/= for fuel 5,000 – 10,000 /= for VHT

76,000 – 110,000/= TOTAL



The community can provide for these costs

UGX 2,000 per patient

half for children


30 Villages served 252 Outreach clinics 10,853 Patients served (43.9% male) 43.7 Patients/outreach 3,889 Given ART (45.4% male) 3,491 Children & adolescents

Achievements

Annual Service Numbers and Expenditure

Year	Outreach Clinics	Villages	Patients	ART Patients	Expenses
2015	9	3	458	269	\$1,839
2016	20	6	1,073	518	\$2,952
2017	59	9	2,765	1,376	\$19 <i>,</i> 533
2018	137	30	5,629	1,536	\$34,720

Expand our network of villages



Our Vision

Build a network of remote villages in Uganda
Use strategic partnerships to expand and improve services
Global Impact: Document

and share our model

Health Access Connect